

2001 Fairchild-Dornier 328JET For Sale

POA €

QUICK SPEC

Manufacturer	Fairchild-Dornier
Family	Dornier
Model	328-300JET
Version	
Year	2001
Capacity	02 - 30 Passengers
Range	2,740 km (1,480 Nm) - 1,700 Mi
Max Cruise Speed	750 km/h (400 Kts) - 470 Mph - Mach 0.62
Max.Take-Off Weight	15,200 Kg (33,510 lbs)
Total Time	000 Hours
Service Ceiling	11,000 M - 35,000 Ft - 035 FL

TECHNICAL SPECIFICATIONS

GENERAL CHARACTERISTICS

Type of Aircraft - Light Jet
Propulsion - 2 Turbofan Engines
Length - 21,11 m - 69,3 feet
Wing Span - 20,98 m - 68,10 feet
Height - 7,24 m - 23,9 feet
Rate of Climb - 3,690 ft/min - 1,125 m/s
Max.Certified Takeoff Distance - 1,367 metre - 4,485 feet
Max.Certified Landing Distance - 1,306 metre - 4,285 feet
Max.Certified Takeoff Weight - 15,200 Kg - 33,510 lbs
Max.Certified Landing Weight - 14,090 Kg - 31,063 lbs

INTERIOR CHARACTERISTICS

- 30 Basic Configuration
- Full Cabin (Tuned) Passive Noise Reduction System
- Inflatable Beds For 6
- Enclosed Lav/Dressing Room
- Fwd Galley: Hot/Cold Sink (20L), Granite Countertops, Nespresso, 8-Person Serving Oven, Plate Warmer, Ice Tray, Cold Drink Storage, Non-Slip Flooring, And Storage Cabinets
- Custom Control Concepts In-Flight Entertainment System: Individual 10" Monitors, Fore/Aft 14" Monitors, Credenza Pop-Up 31" Tv, Dual Avod Movie Storage (500 Movie Capacity), Blue Ray Player Xbox Console And Player, Internal And External Audio Input Sources, And Surround Sound System
- Satcom Telephone (Wireless In Cabin), High Speed Wifi, Custom Led Lighting (Position, Stairs, Galley, Cabin)

EXTERIOR CHARACTERISTICS

Base Paint Color -
Stripe Color -
Program Coverage -
Maintenance Tracking -
Registration - SN: 3173 I REG: N192T

POWERPLANT

Engine Model - Pratt & Whitney Canada PW306B
Engine Power (Each) - 26,9 kN - 6,000 lbf
Serial Number Left Engine - PCE-000
Serial Number Right Engine - PCE-000
Total Hours Left Engine - 000 Hours
Total Hours Right Engine - 000 Hours
Total Cycles Left Engine - 000 Cycles
Total Cycles Right Engine - 000 Cycles
Program Coverage - N/A

AIRFRAME

Total Time airframe - 000 Hours
Total landings - 000 Landings
Entry Into Service Date - 0000
Current Location - POA
Program Coverage - Plane Parts
Maintenance Tracking - CMP

APU

Description - Honeywell - 36-150DD
Serial Number - P-000
APU Total Time - 000 Hours
APU Total Cycles - 0,000
Program Coverage - MSP

AVIONICS

- ADS-B Out
- Honeywell Dual NZ-2000 FMS Systems
- Honeywell RT950 (7.1) TCAS
- Dual Honeywell RNZ851 NAV
- Dual Honeywell RCZ833 Comm
- Dual Honeywell IC800C
- Dual Honeywell HG20201AC
- Dual Honeywell AZ-480 ADC
- Honeywell HG2021GD GPS
- Dual Honeywell DA800 Flight Data Acquisition Unit
- L-3 Communications FDR
- L-3 Communications CVR
- Avtech PA AMP
- Mark V EGPWS
- Dual Honeywell Radio Altimeter
- Dual JET PS835C Emergency Power Supply
- Smith Industries WL101 Standby Altimeter
- Artex 406 ELT
- Honeywell RT-300 Radio Alt
- Honeywell KHF-950 HF

OTHER NOTABLE FEATURES

•

CATALOGUE ESSAY

The Fairchild-Dornier 328JET Envoy 3 is a Light Jet Aircraft developed by the German Aircraft Manufacturer Dornier Luftfahrt GmbH. With its Executive Interior Configuration of a Crew of 2 pilots and Capacity for 30 Passengers, a Range of 2,740 km (1,480 Nm) - 1,700 Mi, at a Max Cruise Speed of 750 km/h (400 Kts) - 470 Mph - Mach 0.62 with a Service Ceiling of 11,000 M - 35,000 Ft - 035 FL. The Fairchild-Dornier 328JET Envoy 3 Maximum Takeoff Weight (MTOW) is 15,200 Kg (33,510 lbs) with a Max Takeoff Field Length - MTOW 1,367 metre - 4,485 feet. The Fairchild-Dornier 328JET Envoy 3 Powerplant is Powered by 2 (two) x Pratt & Whitney Canada PW306B Turbofan Engines with a Take Off Power of 26,9 kN - 6,000 lbf and Initial Rate of Climb - MTOW of 3,690 ft/min - 1,125 m/s. The Fairchild-Dornier 328JET Envoy 3 Length is 21,11 m - 69,3 feet with a Wing Span of 20,98 m - 68,10 feet.