

2010 Beechcraft Premier IA For Sale

POA €

QUICK SPEC

Manufacturer	Hawker-Beechcraft
Family	Premier IA
Model	
Version	
Year	2010
Capacity	2 - 6/7 Passengers
Range	2,519 km (1,360 Nm) - 1,565 Mi
Max Cruise Speed	683 km/h (369 Kts) - 425 Mph - Mach 0.55
Max.Take-Off Weight	5,670 Kg (12,500 lbs)
Total Time	1,035 Hours
Service Ceiling	12,497 M - 41,100 Ft - FL 410

TECHNICAL SPECIFICATIONS

GENERAL CHARACTERISTICS

Type of Aircraft - Light Business Jet
Propulsion - 2 Turbofan Engines
Length - 14,02 m - 45,12 feet
Wing Span - 13,56 m - 44,6 feet
Height - 4,67 m - 15,4 feet
Rate of Climb - 4,000 ft/min - 20,32 m/s
Max.Certified Takeoff Distance - 1,156 meters - 3,792 feet
Max.Certified Landing Distance - 968 meters - 3,177 feet
Max.Certified Takeoff Weight - 5,670 kg - 12,500 lbs
Max.Certified Landing Weight - 5,262 kg - 11,600 lbs

INTERIOR CHARACTERISTICS

- Six passenger configuration with seats finished in Hazelnut leather.
- Tumbleweed Shimmer headliner, figured satinwood sidewall armrest.
- Fawn melair carpet. Forward right-hand refreshment centre.
- Aft lav seat.
-

EXTERIOR CHARACTERISTICS

Base Paint Color - Signature beechcraft paint scheme with Overall Matterhorn White
Stripe Color - Bermuda Tan and black and Regal Red stripes
Program Coverage -
Maintenance Tracking -
Registration - SN: 000 I REG: UP P1005

POWERPLANT

Engine Model - Williams / Rolls-Royce FJ44-2A
Engine Power (Each) - 10,23 kN - 2,300 lbf
Serial Number Left Engine - 00000
Serial Number Right Engine - 0000
Total Hours Left Engine - 1,035 Hours
Total Hours Right Engine - 1,035 Hours
Total Cycles Left Engine - 850 Cycles
Total Cycles Right Engine - 850 Cycles
Program Coverage - TAP Blue

AIRFRAME

Total Time airframe - 1,035 Hours
Total landings - 850 Landings
Entry Into Service Date - 0000
Current Location - Kazakhstan
Program Coverage - Plane Parts
Maintenance Tracking - CMP

APU

Description - Hamilton Sundstrand
Serial Number - APIC APS-3200
APU Total Time - 0,000 Hours
APU Total Cycles - 0,000
Program Coverage - MSP

AVIONICS

- Collins Pro Line 21 ADS: Dual Collins ADC-3000 COMM: Dual Collins VHF-4000 DME: Collins DME-4000 EFIS: Collins AFD 3010E ELT: Artex ELT C406-2 FMS: Collins FMS-3000 Flight Management System FGS: Dual FGC-3000 GPS: GPS-4000S NAV: Rockwell Collins NAV-4000 / NAV-4500 Rad ALT: Collins ALT-4000 TCAS: Collins 4000 Traffic Alert and Collision avoidance system (TCAS II) TDR: Dual Collins TDR-94D Enhanced Mode S CVR: Fairchild FA2100 EPGWS: Honeywell Mark V RADAR: Collins TWR-850 Collins XM Satellite Graphical weather
-

OTHER NOTABLE FEATURES

CATALOGUE ESSAY

The Beechcraft Premier IA, is a Light Business Jet Aircraft manufactured by the Beechcraft division of Hawker Beechcraft. The Beechcraft Premier IA Executive Interior Configuration of 2 Pilots and Capacity for 6/7 Passengers offers a Spacious Aircraft Interior with a Cabin Height: 1,67 m (5,5 feet), a Cabin Width: 1,7 m (5.6 feet), and a Cabin Length: 4.14 m (13,6 feet), in a pressurized cabin. The Beechcraft Premier IA Powerplant Powered by 2 (Two) Williams / Rolls-Royce FJ44-2A Turbofan Engines with a Take-Off Power: 10,23 kN - 2,300 lbf of thrust with an Initial Rate of Climb - MTOW of 4,000 ft/min - 20,32 m/s allowing a Range of 2,519 km (1,360 Nm) - 1,565 Mi. With Max Cruise Speed: 683 km/h (369 Kts) - 425 Mph - Mach 0.55 and a Service Ceiling: 12,497 M - 41,100 Ft - FL 410. The Beechcraft Premier IA Maximum Takeoff Weight (MTOW) is 5,670 kg - 12,500 lbs with a Max Takeoff Field Length - MTOL 1,156 meters - 3,792 feet. The Beechcraft Premier IALength: 14,02 m - 45,12 feet, a Height : 4,67 m - 15,4 feet and Wing Span: 13,56 m - 44,6 feet