

1976 Bell 206 L Long Range For Sale

550,000 €

QUICK SPEC

Manufacturer	Bell Helicopter
Family	206
Model	L
Version	Long Ranger
Year	1976
Capacity	2 - 5 Passengers
Range	630 km (340 Nm) - 391 Mi
Max Cruise Speed	241 km/h (130 Kts) - 150 Mph
Max.Take-Off Weight	1,814 Kg (4,000 lbs)
Total Time	4,506 Hours
Service Ceiling	4,115 M - 13.500 Ft

TECHNICAL SPECIFICATIONS

GENERAL CHARACTERISTICS

Type of Aircraft - Light Single Turbo Helicopter
Propulsion - 1 Turboshaft Engine
Rotor Blades (main/tail) - 2 / 2
Rate of Climb - 432 m/min - 1,417 ft/min
Main Rotor Diameter - 11,28 m - 37,0 feet
Tail Rotor Diameter - 1,65 m - 5,5 feet
Rotor Disc Area - 99,9 m² - 1,075 ft²
Length - 12,91 m - 42,4 feet
Height - 3,14 m - 10,4 feet
Max.Certified Takeoff Weight - 1,814 Kg - 4,000 lbs

INTERIOR CHARACTERISTICS

-
-

EXTERIOR CHARACTERISTICS

Base Paint Color -
Stripe Color -
Program Coverage - Plane Parts
Maintenance Tracking - CMP
Registration - SN: 45044 I REG: C-GPJW

POWERPLANT

Engine Model - Rolls-Royce Allison 250-C20R
Engine Power - 485 kw - 650 shp
Serial Number Engine - 00000
Total Hours Engine - 0,000 Hours
Total Cycles Engine - 0,000 Cycles
Program Coverage - N/A

AIRFRAME

Total Time airframe - 4,506 Hours
Total landings - 0,000 Landings
Entry Into Service Date - 1976
Current Location - Canada
Program Coverage - Plane Parts
Maintenance Tracking - CMP

APU

Description -
Serial Number -
APU Total Time - 0,000 Hours
APU Total Cycles - 0,000
Program Coverage - MSP

AVIONICS

- Garmin Gtr-225
- Garmin Gps-296
- Airspeed Indicator
- Dual Tachometer
- Fuel Pressure Indicator
- Loadmeter
- Torque Gauge
- Kannad 406 Elt
- Altimeter

-
-

FEATURES/OPTIONS

- STC #/P/N / Description
- SH01-58 / EAGLE T53-17B Engine Install
- SH5132NM / Hillsboro 212 M/R System
- SH08-55 / BLR Fast Fin
- SR00798SE / BLR Strake Kit
- SH93-50 / Cargo Hook
- P-LSH95-104 / Northern Mountain Modified 42 Deg Gearbox
- AFS-210-IBF-IP / AFS Inlet Filter Kit
- SR02204LA / AKV Cycle Counter
- Tanis Pre-heat kit
- D205-706-013 / DART Fuel Purge Canister
- SH99-11 / DART Adjustable Engine Mounts
- P-LSH91-068 / Cascade Vertical Reference Door
- STC97-39 / Eagle Copters Co-pilot seat
- SH95-36 / Lead Acid Battery
- SH90-29 / Dual Electric Boost Pumps
- AA22-163 / AAI PA & loudhailer
- 204-706-034-001 / Dual Controls
- AAL-370-711-002 / Shoulder Harness Kit
- SH93-34 / DART Co-Pilot Release kit
- SH92-43 / DART Crew Door Openers
- SH20-19 / AAI Crew Barrier Kit
- SH92-43 / DART Door Handles
- P-LSH91-070/D / Crew/Pax Steps
- SH96-42 / DART Bear Paws
- SH96-88 / DART Skid Tuning Kit
- D212-580-043 / DART Cargo Mirror/Pulse Lights
- SH5122NM / EGT Gauge
- AA91-57 / AAI Push Out Window Kit
- SH93-60 / AAI Chin Bubbles
- SH4775NM / Heli Conversions Manual Start Fuel Kit
- P-LSH91-072/D / Sling Mirror
- SA615EA / Whelen LED Strobes
- SI212-58 / 40 Gal Aux Tank

OTHER NOTABLE FEATURES

CATALOGUE ESSAY

The Bell 206 L Long Range is a single-engine seven-seat light utility helicopter produced by the US-American manufacturer Bell Helicopter Company, today Bell Helicopter Textron The Bell 206 L Long Range Executive Interior Configuration of 2 Pilots and Capacity for 6 Passengers offers a Spacious Aircraft Interior. The Bell 206 L Long Range Powerplant Powered by 1 (One) Rolls-Royce Allison 250-C20B/J Turbofan Engines with a Take-Off Power : 485 kw - 650 shp of thrust with an Initial Rate of Climb - MTOW of 432 m/min - 1,417 ft/min allowing a Range of 630 km (340 Nm) - 391 Mi With Max Cruise Speed: 241 km/h (130 Kts) - 150 Mph and a Service Ceiling : 4,115 M - 13.500 Ft. The Bell 206 L Long Range Maximum Takeoff Weight (MTOW) is 1,814 Kg - 4,000 lbs. The Bell 206 L Long Range Length: 12,91 m - 42,4 feet a Height : 3,14 m - 10,4 feet and Main Rotor Diameter - 11,28 m - 37,0 feet.