

1986 Bell 206 L3 Long Ranger III For Sale

615,000 €

QUICK SPEC

Manufacturer	Bell Helicopter
Family	206
Model	L3
Version	Long Ranger III
Year	1986
Capacity	2 - 5 Passengers
Range	630 km (340 Nm) - 391 Mi
Max Cruise Speed	241 km/h (130 Kts) - 150 Mph
Max.Take-Off Weight	1,928 Kg (4,250 lbs)
Total Time	51,174 Hours
Service Ceiling	4,115 M - 13.500 Ft

TECHNICAL SPECIFICATIONS

GENERAL CHARACTERISTICS

Type of Aircraft - Light Single Turbo Helicopter
Propulsion - 1 Turboshaft Engine
Rotor Blades (main/tail) - 2 / 2
Rate of Climb - 432 m/min - 1,417 ft/min
Main Rotor Diameter - 11,28 m - 37,0 feet
Tail Rotor Diameter - 1,65 m - 5,5 feet
Rotor Disc Area - 99,9 m² - 1,075 ft²
Length - 12,91 m - 42,4 feet
Height - 3,14 m - 10,4 feet
Max.Certified Takeoff Weight - 1,928 Kg - 4,250 lbs

INTERIOR CHARACTERISTICS

- 7 Passengers Configuration
- Beige Fabric Interior
- Blue Seating & Carpet

-
-

EXTERIOR CHARACTERISTICS

Base Paint Color - Blue
Stripe Color - White
Program Coverage - Plane Parts
Maintenance Tracking - CMP
Registration - SN: 51174 I REG: 000

POWERPLANT

Engine Model - Rolls Royce (Allison) 250-C30P
Engine Power - 485 kw - 650 shp
Serial Number Engine - CAE895260
Total Hours Engine - 051,174 Hours
Total Cycles Engine - 0,000 Cycles
Program Coverage - N/A

AIRFRAME

Total Time airframe - 51,174 Hours
Total landings - 0,000 Landings
Entry Into Service Date - 1986
Current Location - Hong Kong
Program Coverage - Plane Parts
Maintenance Tracking - CMP

APU

Description -
Serial Number -
APU Total Time - 0,000 Hours
APU Total Cycles - 0,000
Program Coverage - MSP

AVIONICS

- Garmin GA-55 GRA5500 Radar Altimeter
- Garmin GNS-430W GPS/NAV/ Com. Heli-TWAS enabled
- Garmin GTR 225A
- Garmin Aera 796
- Garmin GI-106A Course Deviation Indicator
- Garmin GTX 345 ADS-B (In and Out)
- Goodrich Stromscope Display
- ELT 406 Kannard
- Davtron Hobbs Meter
- NAT Audio Panel
- Two (2) Bendix/King KX-165 Communication Radios
- One (1) Bendix/King KT-76A Transponder
-
-
-

FEATURES/OPTIONS

Cockpit:

- Dual Controls
- Flight Instruments
- Caution & Warning Lights
- Attitude Indicator
- Climb Indicator
- Air Speed Indicator
- Dual Tachometer Indicator
- Altimeter Indicator
- 2 Min Turn Indicator
- Heading Indicator
- ADF, VOR Indicator

Equipment:

- High Skid Landing Gear
- Cargo Hook
- Crew, Passenger Step
- Cabin Hinged Doors
- Inlet Particle Separator
-
-
-

OTHER NOTABLE FEATURES

CATALOGUE ESSAY

The Bell 206 L3 Long Ranger III is a single-engine seven-seat light utility helicopter produced by the US-American manufacturer Bell Helicopter Company, today Bell Helicopter Textron. The Bell 206 L3 Long Ranger III Executive Interior Configuration of 2 Pilots and Capacity for 6 Passengers offers a Spacious Aircraft Interior. The Bell 206 L3 Long Ranger III Powerplant Powered by 1 (One) Rolls-Royce Corporation (Allison) 250-C30P Turbofan Engines with a Take-Off Power : 485 kw - 650 shp of thrust with an Initial Rate of Climb - MTOW of 432 m/min - 1,417 ft/min allowing a Range of 630 km (340 Nm) - 391 Mi With Max Cruise Speed: 241 km/h (130 Kts) - 150 Mph and a Service Ceiling : 4,115 M - 13.500 Ft. The Bell 206 L3 Long Ranger III Maximum Takeoff Weight (MTOW) is 1,928 Kg - 4,250 lbs. The Bell 206 L3 Long Ranger III Length: 12,91 m - 42,4 feet a Height : 3,14 m - 10,4 feet and Main Rotor Diameter - 11,28 m - 37,0 feet.