

# 1994 Bell 206 LT Twin Ranger For Sale

POA €

## QUICK SPEC

Manufacturer	Bell Helicopter
Family	206
Model	LT
Version	Twin Ranger
Year	1994
Capacity	2 - 6 Passengers
Range	430 km (232 Nm) - 267 Mi
Max Cruise Speed	250 km/h (135 Kts) - 155 Mph
Max.Take-Off Weight	2.018 Kg (4.450 lbs)
Total Time	2,740 Hours
Service Ceiling	3,048 M - 10.000 Ft

## TECHNICAL SPECIFICATIONS

### GENERAL CHARACTERISTICS

Type of Aircraft - Light Twin Turbo Helicopter  
Propulsion - 2 Turboshaft Engines  
Rotor Blades (main/tail) - 2 / 2  
Rate of Climb - 432 m/min - 1,417 ft/min  
Main Rotor Diameter - 11,28 m - 37,0 feet  
Tail Rotor Diameter - 1,65 m - 5,5 feet  
Rotor Disc Area - 99,9 m<sup>2</sup> - 1,075 ft<sup>2</sup>  
Length - 13,02 m - 42,9 feet  
Height - 3,14 m - 10,4 feet  
Max.Certified Takeoff Weight - 2.018 Kg - 4.450 lbs

### INTERIOR CHARACTERISTICS

- 5 Passenger And Crew Seats In Dark Grey Leather
- 

### EXTERIOR CHARACTERISTICS

Base Paint Color - White  
Stripe Color - Yellow & Black  
Program Coverage - Plane Parts  
Maintenance Tracking - CMP  
Registration - SN: 52059 | REG: F-GSJS

## POWERPLANT

Engine Model - Rolls-Royce Allison 250-C20R  
Engine Power (Each) - 336 kw - 450 shp  
Serial Number Left Engine - 00000  
Serial Number Right Engine - 0000  
Total Hours Left Engine - 0,000 Hours  
Total Hours Right Engine - 0,000 Hours  
Total Cycles Left Engine - 0,000 Cycles  
Total Cycles Right Engine - 0,000 Cycles  
Program Coverage - N/A

## AIRFRAME

Total Time airframe - 2,740 Hours  
Total landings - 0,000 Landings  
Entry Into Service Date - 1994  
Current Location - France  
Program Coverage - Plane Parts  
Maintenance Tracking - CMP

## APU

Description -  
Serial Number -  
APU Total Time - 0,000 Hours  
APU Total Cycles - 0,000  
Program Coverage - MSP

## AVIONICS

- King ED461 EFIS Com
- Dual King KY 196A Transponder
- King KT 76A Nav
- King KNS 81 Audio Panel
- King KMA 24H DME
- King KN63 ADF
- King KR 87 GPS
- King KLN 90A ELT Artex 406-2
- 

## FEATURES/OPTIONS

- Provisions for WX 1000 Stormscope Whelen strobes Lead acid battery Provisions for Sennheiser headsets Air Comm Corp bleed air cabin heating Air Comm Corp air conditioning Extended instrument panel and shroud Inclined radio panel Provisions for medevac operation (power socket, stretcher supports) Full cabin length, folding door on left side for stretcher access Standby horizon Davtron clock Davtron M655 five function indicator
- 
-

## OTHER NOTABLE FEATURES

### CATALOGUE ESSAY

The Bell 206 LT Twin Ranger is a Light Twin Turbo seven-seat light utility helicopter produced by the US-American manufacturer Bell Helicopter Company, today Bell Helicopter Textron The Bell 206 LT Twin Ranger Executive Interior Configuration of 2 Pilots and Capacity for 6 Passengers offers a Spacious Aircraft Interior. The Bell 206 LT Twin Ranger Powerplant Powered by 2 (Two) Rolls-Royce Allison 250-C20R Turbofan Engines with a Take-Off Power : 336 kw - 450 shp of thrust each with an Initial Rate of Climb - MTOW of 432 m/min - 1,417 ft/min allowing a Range of 430 km (232 Nm) - 267 Mi With Max Cruise Speed: 250 km/h (135 Kts) - 155 Mph and a Service Ceiling : 3,048 M - 10.000 Ft. The Bell 206 LT Twin Ranger Maximum Takeoff Weight (MTOW) is 2.018 Kg (4.450 lbs). The Bell 206 LT Twin Ranger Length: 13,02 m - 42,9 feet a Height : 3,14 m - 10,4 feet and Main Rotor Diameter - 11,28 m - 37,0 feet.