

1975 Boeing 727-2J4 Advanced For Sale

POA €

QUICK SPEC

Manufacturer	Boeing Commercial Airplanes
Family	727
Model	727-200
Version	727-2J4 Advanced
Year	1975
Capacity	3 - 38 Passengers
Range	4,650 km (2,515 Nm) - 2,889 Mi
Max Cruise Speed	870 km/h (470 Kts) - 541 Mph - Mach 0,81
Max.Take-Off Weight	95,000 kg (209,440 lb)
Total Time	50,000 Hours
Service Ceiling	12,500 M - 41,000 Ft - FL 410

TECHNICAL SPECIFICATIONS

GENERAL CHARACTERISTICS

- Type of Aircraft - Medium Range VIP Bizzliner
- Propulsion - 3 Turbofan Engines
- Length - 46,7 m - 152,2 feet
- Wing Span - 32,9 m - 108 feet
- Wing Area - 153,29 m² - 1,650 ft²
- Height - 10,4 m - 34,0 feet
- Rate of Climb - 4,000 ft/min - 1,219 m/min
- Max.Certified Takeoff Distance - 2,440 meters - 8,000 feet
- Max.Certified Landing Distance - 1,200 meters - 4,000 feet
- Max.Certified Takeoff Weight - 95,000 kg - 209,440 lb
- Max.Certified Landing Weight - 72,574 kg - 160,000 lb

INTERIOR CHARACTERISTICS

- Refurbished December 1998
- 38 pax teal leather seats plus 7 crew.
- 3 cabins.
- Main cabin: 14 large swivel/recline chairs (designed for 7' torso).
- Forward cabin: 12 seats which can convert into a meeting area.
- Aft cabin: 12 seats in a first class arrangement.
- 11 full sized plasma TV's, 4 VCR/DVD players, wireless headphones for all passengers, Airshow 200, 2 KVA solid state frequency converters for a 60 cycle current.

EXTERIOR CHARACTERISTICS

Base Paint Color -
Stripe Color -
Program Coverage -
Maintenance Tracking -
Registration - SN: 20766 I REG: N211DB

POWERPLANT

Engine Model - 3 (Three) Pratt & Whitney JT8D-17R Turbofan Engines
Engine Power (Each) - 70,3 kN - 15,800 lb
Serial Number Left Engine - 00000
Serial Number Right Engine - 0000
Total Hours Left Engine - 0,000 Hours
Total Hours Right Engine - 0,000 Hours
Total Cycles Left Engine - 0,000 Cycles
Total Cycles Right Engine - 0,000 Cycles
Program Coverage - N/A

AIRFRAME

Total Time airframe - 50,000 Hours
Total landings - 30,000 Landings
Entry Into Service Date - 0000
Base Location - POA
Program Coverage - Plane Parts
Maintenance Tracking - CMP

APU

Description - Honeywell GTCP 85-98D
Serial Number -
APU Total Time - 0,000 Hours
APU Total Cycles - 0,000
Program Coverage - MSP

AVIONICS

- Dual sperry flight directors
- Sperry SP-50 autopilot
- Dual Collins 618M-5 comms
- Standby comm
- Dual Collins 51RV-5B navs
- Dual Marconi ADF
- Collins mode S and C transponders
- Dual Collins 618T HF
- Motorola selcal
- Dual radar altimeters
- Honeywell primus 90 weather radar
- Sperry altitude alert
- Dual electric altimeters
- Collins TCAS
- Dual Honeywell digital air data computers
- Sundstrand FDR
- Sundstrand CVR

OTHER NOTABLE FEATURES

CATALOGUE ESSAY

The Boeing 727-2J4 Advanced is Mid Size, Narrow Body Trijet Commercial Airliner manufactured by Boeing Commercial Airplanes. The Boeing 727-2J4 Advanced Interior Configuration of 3 Crew and Capacity Up to 189 Passengers, offers a Spacious Aircraft Interior with a Cabin Height: 2,2 m (7,3 feet), a Cabin Width: 3,5 m (11,6 feet), and a Cabin Length: 27,4 m (90 feet), The cabin typically includes a galley, lavatories, and overhead storage bins. The seating capacity can vary from around 145 to 189 passengers. The standard seating arrangement is six-abreast seating in first class, and seven-abreast seating in economy class. The Boeing 727-2J4 Advanced Powered by 3 (Three) Pratt & Whitney JT8D-17R Turbofan Engines Turbofan Engines with a Take-Off Power: 70,3 kN - 15,800 lb of Thrust Each of thrust each with an Initial Rate of Climb - MTOW of 4,000 ft/min - 1,219 m/min allowing a Range of 4,650 km (2,515 Nm) - 2,889 Mi, With Max Cruise Speed: 870 km/h (470 Kts) - 541 Mph - Mach 0,81 and a Service Ceiling: 12,500 M - 41,000 Ft - FL 410. The Boeing 727-2J4 Advanced Takeoff Weight (MTOW) is 95,000 kg - 209,440 lb with a Max Takeoff Field Length - (TOFL) 2,440 meters - 8,000 feet. The Boeing 727-2J4 Advanced Length: 46,7 m - 152,2 feet, Height : 10,4 m - 34,0 feet and Wing Span: 32,9 m - 108 feet.