2017 Aeroprakt A32 Vixxen For Sale

POA €

QUICK SPEC

Manufacturer Aeroprakt

Family A32

Model A32 Vixxen

Version

Year 2017

Capacity 01 - 01 Passengers

Range 1,100 km (590 Nm) - 680 Mi

Max Cruise Speed 213 km/h (115 Kn) - 132 Mph - Mach 0,17

Max.Take-Off Weight 450 kg (992 lb)

Total Time 1,275 Hours

Service Ceiling 4,000 M - 13,000 Ft - FL 130

TECHNICAL SPECIFICATIONS

GENERAL CHARACTERISTICS

Type of Aircraft - Light Sport Aircraft

Propulsion - 1 Piston Engine

Blades: 3 / Fixed Pitch Ground-Adjustable

Rate of Climb: 5 M/S - 980 Ft/Min

Length: 6,27 M - 20,7 Feet Height: 2,22 M - 7,3 Feet Wingspan: 9,45 M - 31,0 Feet Wing Area: 13,7 M2 - 147 Sq Ft

Airfoil: TsAGI P-IIIA-15

Empty Weight: 320 Kg - 705 Lb

Stall Speed: 50 Km/H (27 Kn) 31 Mph

Max.Certified Takeoff Distance - 90 Meters - 295 Feet Max.Certified Landing Distance - 90 Meters - 295 Feet Max.Certified Takeoff Weight - 600 Kg - 1,323 Lb Max.Certified Landing Weight - 00 Kg - 00,0 Lbs

INTERIOR CHARACTERISTICS

•

•

EXTERIOR CHARACTERISTICS

Base Paint Color - Yellow

Stripe Color -

Program Coverage -

Maintenance Tracking -

Registration - SN: 033 I REG: VH-EHZ

AIRFRAME

Total Time airframe - 1,275 Hours Total landings - 0,000 Landings Entry Into Service Date - 2017 Current Location - POA

POWERPLANT

Engine Manufacturer - Rotax

Engine Model - 912ULS

Engine Power (Each) - 100 kW - 75 Shp

Serial Number Engine - 00000

Total Hours Engine - 1,275 Hours

Total Cycles Engine - 0,000 Cycles

PROPELLER

Propeller Manufacturer - KievProp

Propeller Model -

Propeller Ground Clearance - 1,68 M - 5,6 in

Total Hours Since New -

AVIONICS

- Dynon Skyview
- Pilot Controls
- Dual Yokes

.

OTHER NOTABLE FEATURES

•

CATALOGUE ESSAY

The Aeroprakt A32 Vixxen, Is an Two-Seat Civil Ultra lightAircraft Produced by Aeroprakt Industries. The Aeroprakt A32 Vixxen Airframe Is High-Wing Two Seat Microlight Aircraft With a Tricycle Undercarriage, Is a Development of the A-22 Foxbat With Flush Wing-To-Body Fairing Design and all Flying Horizontal Stabilizer, As Well as Moulded Baffling for Improved Engine Airflow and Cooling.. The Aeroprakt A32 Vixxen Can Carry a Total of 1 Passengers and 1 Crew/Pilot. The Aeroprakt A32 Vixxen Powerplant Is Powered by The Rotax 912ULS Is a Horizontally-Opposed Four-Cylinder, Naturally-Aspirated, Four-Stroke Aircraft Engine With a Reduction Gearbox. It Features Liquid-Cooled Cylinder Heads and Air-Cooled Cylinders. With a Take-Off Power: 100 kW - 75 Shp of Thrust With an Initial Rate of Climb - MTOW of 5 M/S - 980 Ft/Min Allowing a Range of 1,100 Km (590 Nm) - 680 Mi. With Max Cruise Speed: 213 Km/H (115 Kn) - 132 Mph - Mach 0,17 and a Service Ceiling: 4,000 M - 13,000 Ft - FL 130. The Aeroprakt A32 Vixxen Maximum Takeoff Weight (MTOW) Is 600 Kg - 1,323 Lbspotify With a Max Takeoff Field Length - MTOW 90 Meters - 295 Feet. The Aeroprakt A32 Vixxen Length: 6,27 M - 20,7 Feet, a Height: 2,22 M - 7,3 Feet and Wing Span: 9,45 M - 31,0 Feet