

2019 Aeroprakt A32 Vixxen For Sale

POA €

QUICK SPEC

Manufacturer	Aeroprakt
Family	A32
Model	A32 Vixxen
Version	
Year	2019
Capacity	01 - 01 Passengers
Range	1,100 km (590 Nm) - 680 Mi
Max Cruise Speed	213 km/h (115 Kn) - 132 Mph - Mach 0,17
Max.Take-Off Weight	450 kg (992 lb)
Total Time	150 Hours
Service Ceiling	4,000 M - 13,000 Ft - FL 130

TECHNICAL SPECIFICATIONS

GENERAL CHARACTERISTICS

Type of Aircraft - Light Sport Aircraft
Propulsion - 1 Piston Engine
Blades : 3 / Fixed Pitch Ground-Adjustable
Rate of Climb : 5 M/S - 980 Ft/Min
Length : 6,27 M - 20,7 Feet
Height : 2,22 M - 7,3 Feet
Wingspan : 9,45 M - 31,0 Feet
Wing Area : 13,7 M² - 147 Sq Ft
Airfoil : TsAGI P-III A-15
Empty Weight : 320 Kg - 705 Lb
Stall Speed : 50 Km/H (27 Kn) 31 Mph
Max.Certified Takeoff Distance - 90 Meters - 295 Feet
Max.Certified Landing Distance - 90 Meters - 295 Feet
Max.Certified Takeoff Weight - 600 Kg - 1,323 Lb
Max.Certified Landing Weight - 00 Kg - 00,0 Lbs

INTERIOR CHARACTERISTICS

- 2x Adjustable Seats With Harnesses
- 2x External Air Vents
- Cabin Heater
- Luggage Container in Floor Behind Seats
- Panel 12v Power Supply
- Ballistic Parachute System
- Centre Y-Stick
- Manual Elevator Trim With Twin PTT
- Twin Throttles & Brakes
- Tie-Down Kit Fuel
- Tester Cup
- Pitot Tube Cover
- Gust Control Lock
- Calibrated Anodised Fuel Dip
- Stick 2x Aviation Life Jackets
-

EXTERIOR CHARACTERISTICS

Base Paint Color -
Stripe Color -
Program Coverage -
Maintenance Tracking -
Registration - SN: 107 | REG:VH-PYD

AIRFRAME

Total Time airframe - 150 Hours
Total landings - 0,000 Landings
Entry Into Service Date - 2019
Current Location - POA

POWERPLANT

Engine Manufacturer - Rotax
Engine Model - 912ULS
Engine Power (Each) - 100 kW - 75 Shp
Serial Number Engine - 00000
Total Hours Engine - 150 Hours
Total Cycles Engine - 0,000 Cycles

PROPELLER

Propeller Manufacturer - KievProp
Propeller Model -
Propeller Ground Clearance - 1,68 M - 5,6 in
Total Hours Since New -

AVIONICS

- Dynon SkyView System
- 10" Screen ADSB Receiver
- 2-Axis Auto Pilot With SkyView Mode S Transponder
- VHF Dual-Watch Radio With Built-in VOX intercom.
- Analogue ASI (Knots)
- ALT (Feet)
- 2x Fuel Gauges Battery Master Cut-Out Switch.
-
-

OTHER NOTABLE FEATURES

•

CATALOGUE ESSAY

The Aeroprakt A32 Vixxen, Is an Two-Seat Civil Ultra light Aircraft Produced by Aeroprakt Industries. The Aeroprakt A32 Vixxen Airframe Is High-Wing Two Seat Microlight Aircraft With a Tricycle Undercarriage, Is a Development of the A-22 Foxbat With Flush Wing-To-Body Fairing Design and all Flying Horizontal Stabilizer, As Well as Moulded Baffling for Improved Engine Airflow and Cooling.. The Aeroprakt A32 Vixxen Can Carry a Total of 1 Passengers and 1 Crew/Pilot. The Aeroprakt A32 Vixxen Powerplant Is Powered by The Rotax 912ULS Is a Horizontally-Opposed Four-Cylinder, Naturally-Aspirated, Four-Stroke Aircraft Engine With a Reduction Gearbox. It Features Liquid-Cooled Cylinder Heads and Air-Cooled Cylinders. With a Take-Off Power: 100 kW - 75 Shp of Thrust With an Initial Rate of Climb - MTOW of 5 M/S - 980 Ft/Min Allowing a Range of 1,100 Km (590 Nm) - 680 Mi. With Max Cruise Speed : 213 Km/H (115 Kn) - 132 Mph - Mach 0,17 and a Service Ceiling: 4,000 M - 13,000 Ft - FL 130. The Aeroprakt A32 Vixxen Maximum Takeoff Weight (MTOW) Is 600 Kg - 1,323 Lbsotify With a Max Takeoff Field Length - MTOW 90 Meters - 295 Feet. The Aeroprakt A32 Vixxen Length: 6,27 M - 20,7 Feet, a Height : 2,22 M - 7,3 Feet and Wing Span: 9,45 M - 31,0 Feet