

1966 Beechcraft 23 Musketeer II For Sale

29,900 €

QUICK SPEC

Manufacturer	Beechcraft
Family	Musketeer
Model	23 Musketeer
Version	II
Year	1966
Capacity	01 - 03 Passengers
Range	1,111 km (600 Nm) - 630 Mi
Max Cruise Speed	235 km/h (126 Kn) - 146 Mph - Mach 0,19
Max.Take-Off Weight	1,066 kg (2,350 lb)
Total Time	1,880 Hours
Service Ceiling	3,962 M - 13,000 Ft - FL 130

TECHNICAL SPECIFICATIONS

GENERAL CHARACTERISTICS

Type of Aircraft : Light Sport / Aerobatic
Propulsion : Single-Engine Piston
Blades : 2 Bladed, Fixed-Pitch
Rate of Climb : 3,7 M/S - 728 Ft/Min
Length : 7,85 M - 25,9 Ft
Height : 2,21 M - 7,3 Ft
Wingspan : 9,98 M - 32,9 Ft
Wing Area : 15,8 M² - 170 Ft²
Airfoil : NACA 2412
Empty Weight : 635 Kg - 1,400 Lb
Stall Speed : 98 Km/H (48 Kn) 61 Mph
Max.Certified Takeoff Distance : 302 Meters - 990 Feet
Max.Certified Landing Distance : 195 Meters - 640 Feet
Max.Certified Takeoff Weight : 1,066 Kg - 2,350 Lb
Max.Certified Landing Weight : 1,066 Kg - 2,350 Lb

INTERIOR CHARACTERISTICS

- Leather Seating W/Coordinating Carpet & Side Panels - 2001

EXTERIOR CHARACTERISTICS

Base Paint Color :
Stripe Color :
Program Coverage :
Maintenance Tracking :
Registration : SN: M-892 I REG: N1492L

AIRFRAME

Total Time Airframe : 1,880 Hours
Total Landings : 0,000 Landings
Entry Into Service Date : 1966
Base / Location : POA

POWERPLANT

Engine Manufacturer : Continental
Engine Model : IO-346-a
Engine Power : 123 Kw - 165 Hp
Serial Number Engine : 00000
Total Hours Engine : 0,000 Hours
Total Cycles Engine : 0,000 Cycles

PROPELLER

Propeller Manufacturer : Flottorp
Propeller Model : FIC-7660-2
Propeller Ground Clearance : 1,8 M - 6,1 Ft
APU Total Cycles : 0,000
Total Hours Since New : 00 Hours

AVIONICS

- Dual King KX 155's Nav/Com King KMA 12B
Audio Panel King KT 76A Transponder Narco 150
Transponder Mode AR850 Encoder Apollo 602
Loran 4 Place Intercom

OTHER NOTABLE FEATURES

- Cleveland Wheels & Brakes
- Brackett Air Filter New Glass

CATALOGUE ESSAY

The Beechcraft 23 Musketeer II is a Light, Single-Engine Aircraft, Low-Wing Aircraft, Fixed Tricycle Configuration Built by the Beech Aircraft Corporation. The Beechcraft 23 Musketeer II Interior Configuration of 1 Pilot and Capacity for Up to 3 Passengers in a Non Pressurized Cabin. The Beechcraft 23 Musketeer II Powerplant Powered by 1 (One) Continental IO-346-a Four-Cylinder, Horizontally Opposed, Air-Cooled, Piston Aircraft Engine With a Take-Off Power: 123 Kw - 165 Hp of Thrust Equipped With a Flottorp FIC-7660-2 Constant-Speed, Two-Blade Aluminium Propeller With an Initial Rate of Climb - MTOW of 3,7 M/S - 728 Ft/Min Allowing a Range of 1,111 Km (600 Nm) - 630 Mi, With Max Cruise Speed: 235 Km/H (126 Kn) - 146 Mph - Mach 0,19 and a Service Ceiling: 3,962 M - 13,000 Ft - FL 130. The Beechcraft 23 Musketeer II Maximum Takeoff Weight (MTOW) is 1,066 Kg (2,350 Lb) With a Max Takeoff Field Length - (TOFL) 302 Meters - 990 Feet. The Beechcraft 23 Musketeer II Length: 7,85 M - 25,9 Ft, a Height : 2,21 M - 7,3 Ft and Wing Span: 9,98 M - 32,9 Ft.